



## HARDWARE COMPATIBILITY LIST

### Hypercom Payment Solutions:

Georgia Office:  
190 Technology Circle, Suite 119  
Savannah, GA 31407  
Tel: +1.912.965.9019  
Fax: +1.912.965.9046

Hypercom Payment Solutions' HCL (Hardware Compatibility List) is a comprehensive listing of supported hardware for SmartPayments Client and SmartPayments Server. Please visit our website at: [www.hypercom.com/products](http://www.hypercom.com/products) for more information on our line of high performance POS devices.



Visit our website:  
<http://hps.hypercom.com/>

	PRODUCT	Supported Encryption	USB	SERIAL	SUPPORT HARDWARE CLIENT	SUPPORTED HARDWARE PAYMENT SERVER
Card Readers	All Magtek card swipe reader for serial & USB serial emulator*	—	▪	▪	√	√
	All Magtek card swipe reader for USB keyboard emulator & keyboard wedge * (USB/Wedge)	—	▪		√	√
	All Magtek MiniMICR Reader with MSR for USB keyboard emulator & keyboard wedge (USB/WEDGE)	—	▪		√	√
	All Magtek MICRPlus with MSR for serial and MiniMICR Reader with MSR for serial & USB serial emulator*	—	▪	▪	√	√
	Magtek MICRImage Reader with MSR (TK) for serial	—		▪	√	
	Hypercom L4100	—	▪	▪	√	
	Hypercom L4150	—	▪	▪	√	
	Hypercom L4200	—	▪	▪	√	
	Hypercom L4250	—	▪	▪	√	
	Hypercom S9C	—		▪	√	
	VeriFone 2000	—		▪	√	
	VeriFone Omni 7000MPD for serial	—		▪	√	
	VeriFone SC5000 Global	MAC		▪	√	
	VeriFone SC5000	Under review		▪	N/A	N/A
	HandHeld Products TT8500	—	▪		√	
	Ingenico eN-Touch 1000	—		▪	√	
	Ingenico 6550	—	▪		√	
Ingenico 6770	—	▪		√		
Moneris eSelect Plus	—		▪	√		
Check Readers	All Magtek MiniMICR Reader with MSR for USB keyboard emulator & keyboard wedge (USB/Wedge)	—	▪		√	√
	All Magtek MICRPlus with MSR for serial and MiniMICR Reader with MSR for serial & USB serial emulator	—	▪	▪	√	√
	Magtek MICRImage Reader for RS232	—		▪	√	√
	Magtek MICRImage Reader with MSR (TK) for RS232	—		▪	√	√
	Magtek Excella	—		▪	√	
	Magtek Mini MICR	—		▪	√	
	NCR 7167 MICR Reader	—		▪	√	√

	IBM Suremark 4610	—		▪	√	
	Epson TM-H6000II w/ TS for serial **	—		▪	√	
Check Imagers	Magtek MICRImage Reader RS232	—		▪	√	√
	Magtek MICRImage Reader w/ MSR (TK) RS232	—		▪	√	
	Magtek Excella	—		▪	√	
	Epson ImageReader RS232	—		▪	√	
	TM-H6000II w/ TS for RS232	—		▪	√	
Pin Pads	Hypercom L4100	MS,3D, SD	▪	▪	√	
	Hypercom L4150	MS,3D, SD	▪	▪	√	
	Hypercom L4200	MS,3D, SD	▪	▪	√	
	Hypercom L4250	MS,3D, SD	▪	▪	√	
	Hypercom S9C	MS, SD		▪	√	
	Hypercom S9	MS, SD		▪	√	
	Hypercom P1310	SD		▪	√	
	Hypercom P1320	SD		▪	√	
	Any VeriFone 1000 protocol supported pinpad	SD		▪	√	√
	VeriFone 2000	SD		▪	√	
	VeriFone Omni 7000MPD for serial	SD		▪	◆◆◆	
	VeriFone SC5000 Global	MAC		▪	√	
	VeriFone SC5000	Under review		▪	N/A	N/A
	HandHeld Products TT8500	SD	▪		√	
	Ingenico eN-Touch 1000	MS, SD		▪	√	
	Ingenico 6550	MS, SD	▪		√	
Ingenico 6770	MS, SD	▪		√		
Moneris eSelect Plus	N/A		▪	√		
Signature Capture	Hypercom L4100	—	▪	▪	√	
	Hypercom L4150	—	▪	▪	√	
	Hypercom L4250	—	▪	▪	√	
	Ingenico eN-Touch 1000	—		▪	√	
	Ingenico 6550	—	▪		√	
	Ingenico 6770	—	▪		√	
	HandHeld Products TT8500	—	▪		√	
	HHP 1500	—		▪	√	

Receipt Printers	Any Windows compatible printer	—			√	√
	TM-H6000II w/ TS for serial	—		■	√	
	NCR RealPOS 7167	—		■	√	
	Receipt Master 2000	—		■	√	

√ = Devices are compatible.

√√ = App on device must be configured to send all transactions as "host" mode

◆ = Specific model information for devices are not available at this time.

◆◆ = Devices will be available soon in future product release.

◆◆◆ = Product has limited support for the specific device (inquire for more specific details).

\* HID card reader not supported at this time

\*\* Hardware devices daisy chained, via the RJ11 jack, are not supported (ex. Cash drawers)

Encryption types: MS = Master Session, 3D = Triple Des, SD = Single Des

**NOTE:**

The specific devices and device compatibility on this list can change at any time without prior notice.

Last Updated: 1/10/2008

\*\*\* Please note that the above list of some serial products may be used by way of USB. If there is no available serial port on the machine, the serial based device may be connected to a USB port via USB to Serial Adapter. **CE Model: UC-232A.** This is for serial products only.